

Cooling Solutions

PORTABLE EVAPORATIVE COOLER 550W

1027T **TRADEQUIP**
the trusted brand in equipment

240V/50Hz/550W 3 speed motor
Max. air flow: 18,000 m³ per hour
Effective cooling area: 100-150sqm
Water consumption: 12-18 litres per hour
Water tank capacity: 100 Litres
1510H x 1120W x 680Dmm
Weight: 58kg

MADE FOR THE TRADE

**EUROPEAN DESIGN
SYNCHRONOUS
SWING FUNCTION**



Remote Control
Timer Panel



Nylon Castors
for easy portability

EXCLUDES GST

\$1289

Incl. GST \$1417.90

"Freight Rates
May Apply"



PORTABLE EVAPORATIVE COOLER 750W

1035T **TRADEQUIP**
the trusted brand in equipment

240V/50Hz/750W 3 speed motor
Max. air flow: 23,000 m³ per hour
Water consumption: 12-18 litres per hour
Effective cooling area: 150-200sqm
Water tank capacity: 130 Litres
1730H x 1120W x 680Dmm
Weight: 63kg

MADE FOR THE TRADE

**EUROPEAN DESIGN
SYNCHRONOUS
SWING FUNCTION**



Remote Control
Timer Panel



Nylon Castors
for easy portability

EXCLUDES GST

\$1649

Incl. GST \$1813.90

"Freight Rates
May Apply"



ALL COOLERS FEATURES & BENEFITS

Moulded polyethylene housing will not crack and is rust & leak proof.
Environmentally friendly alternative to traditional reverse cycle A/C.
Cools without chemicals or refrigerants. Easy to read water level gauge.
Long-term dependability. Near maintenance free operation. Direct drive.
LCD 24 hour timer panel. Remote control speed adjustment.
Cools where traditional cooling methods are impractical or cost-prohibitive.
Dual pour in refill water inlet and/or 3/4" hose fitting for automatic tap refill.
Adjustable water flow & drain valve. Nylon castors for easy portability.

PORTABLE EVAPORATIVE COOLER 750W

1029T **TRADEQUIP**
the trusted brand in equipment

240V/50Hz/750W 3 speed motor
Max. air flow: 23,000 m³ per hour
Water consumption: 20-35 litres per hour
Effective cooling area: 200-260sqm
Cooling area: 200-260m²
Water tank capacity: 200 Litres
1800H x 1600W x 780Dmm
Weight: 128kg



Remote Control
Timer Panel



Nylon Castors
for easy portability

MADE FOR THE TRADE

**WHERE
TO
BUY**



EXCLUDES GST

\$4799

Incl. GST \$5278.90

"Freight Rates
May Apply"



PORTABLE INDUSTRIAL AIR CONDITIONERS

TRADEQUIP INDUSTRIAL AIR CONDITIONERS FEATURES & BENEFITS

Compact yet powerful. Wide operating range of 18° - 45°C.
Single duct system for easy installation. Capillary tube construction for simplicity.
5 Litre self-contained condensation tank for easy removal and emptying.
Heavy duty compressor with automatic restart and short cycle protection.
Motors and compressors have overload protection.
Durable and long lasting steel construction.
Heavy duty locking castors and handles for easy manoeuvrability.
Easy to use plug in and place the hot air duct out of window/door or into false ceiling.

TRADEQUIP
the trusted brand in equipment

TradeQuip "Made for the Trade"
Portable Air Conditioners offer a
quick spot cooling solution with
strong air flow and easy installation.



**MADE FOR THE
TRADE**



Code	1031T	1032T	1033T
Power Unit	240V 50Hz	240V 50Hz	240V 50Hz
Rated Power	950W	2000W	3000W
Mains Plug	10 Amp	15 Amp	15 Amp
Cooling Capacity	2.7KW/9200Btu	4.5KW/15300Btu	6.5KW/22200Btu
Max. Air Flow	400m ³ p/hr	800m ³ p/hr	1200m ³ p/hr
Noise Level	55dB(A)	60dB(A)	65dB(A)
Operating Temp.	18° - 45° C	18° - 45° C	18° - 45° C
Suction Pressure	2.5Mpa (Max.)	2.5Mpa (Max.)	2.5Mpa (Max.)
Discharge Pressure	4.5Mpa (Max.)	4.5Mpa (Max.)	4.5Mpa (Max.)
Dimensions (mm)	855Hx430Wx405D	1035Hx520Wx480D	1245Hx640Wx560D
Excl. GST	\$1399	\$2555	\$3999
Incl. GST	\$1538.90	\$2810.50	\$4398.90

Industrial Cable Reel 15 Metre

1994T **TRADEQUIP** 10 Amp

**Great
Accessory
Option**

**MADE FOR THE
TRADE**

EXCLUDES GST
\$229
Incl. GST \$251.90



For full product specifications go to www.tqbbrands.com.au

INDUSTRIAL PEDESTAL FAN 750mm

1015 **TRADEQUIP**
the trusted brand in equipment

240V/50Hz/280W 3 speed motor
750mm aluminium 3 blade fan
Adjustable height: 1235-1750mm
(Blade centre)
0° to 90° oscillating angle or fixed
Air flow: Up to 300m³/min

MADE FOR THE TRADE



FEATURES & BENEFITS

Rugged and dependable Direct drive motor requires less power and less maintenance compared to other motors.
Durable all-metal construction with black finish, chromium (finger safe) steel grille.
Aerodynamically balanced 3 spoke aluminum blades for maximum airflow and motor efficiency.
Adjustable tilt to direct air where you need it.
Cast Iron heavy duty base for stability.
Metal oscillating gears.



280 Watts

EXCLUDES GST

\$219

Incl. GST \$240.90

Cast aluminium blade

Chrome steel cage

Cast Iron heavy duty base for stability

INDUSTRIAL PEDESTAL MISTING FAN 650mm

1182T **TRADEQUIP**
the trusted brand in equipment

240V/50Hz/260W 3 Speed
650mm Cast Steel 3 Blade
Noise Level: 60dB(A)
Max. airflow: 138 cubic metres per min.
Oscillation angle: 90° Tilt adjustable: 30°
Adjustable mist - Exit Vol: 0-16kg/Hour
Effective area: 200 sq metres
Operating Temperature: 10 - 50° Celcius
Effective temp drop: 2 - 8° Celcius
Operation Humidity: 10% - 85%
Diameter of atomised drip: < 10 um
Mist Jet distance: 8-10 m
Suitable for cooling people, stockbreeding or greenhouse applications.

MADE FOR THE TRADE



FEATURES & BENEFITS

Great for workshops and factory floor areas.
Adjustable height to 1.8m and 3 speed operation.
Large water storage tank & integrated water reservoir.
No mess drip water collector.
Heavy duty base for safety and stability.
Low pressure water pump for reliability and longevity.
Automatic shut-off when water tank is empty.



260 Watts

EXCLUDES GST

\$599

Incl. GST \$658.90

INDUSTRIAL PORTABLE FLOOR FAN 450mm

1045 **TRADEQUIP**
the trusted brand in equipment

240V/50Hz/220W 3 speed motor
450mm steel 3 blade fan
Adjustable flow angle
Noise level: 69dB(A)
Air flow: 142sqm per min

MADE FOR THE TRADE

EXCLUDES GST

\$165

Incl. GST \$181.50

220 Watts



Chrome steel cage

Durable steel blades

FEATURES & BENEFITS

The enclosed direct drive motor is protected from dust and debris to provide years of reliable service.
The 3-speed switch gives you control over the airflow, and vertical tilt helps you control angle.
Solid metal construction with durable steel blades.

INDUSTRIAL WALL MOUNTED FAN 750mm

1026 **TRADEQUIP**
the trusted brand in equipment

240V/50Hz/280W 3 speed motor
750mm cast alloy 3 blade fan
0° to 90° oscillating angle or fixed
Noise level: 86dB(A)
Air flow: Up to 300m³/min




Includes sturdy wall mount bracket

MADE FOR THE TRADE

FEATURES & BENEFITS

Cast aluminium 3 spoke fan blade.
Adjustable tilt and High air flow.
Metal oscillating gears.
Heavy duty wall mounting bracket.



280 Watts

EXCLUDES GST

\$219

Incl. GST \$240.90

Cast aluminium blade

Chrome steel cage

INDUSTRIAL VENTILATION FANS

TRADEQUIP
the trusted brand in equipment

Code	1025	1056	1141T
Fan Diameter	300mm	400mm	450mm
Voltage	240V 50Hz	240V 50Hz	240V 50Hz
Power	520W	1100W	1700W
Speed	2800rpm	2800rpm	2800rpm
Noise Level	92db2 (A)	92db2 (A)	92db2 (A)
Air Delivery	60m3per minute	96m3per minute	162m3per minute
Static Pressure	343Pa	700Pa	972Pa
Excl. GST	\$295	\$735	\$869
Incl. GST	\$324.50	\$808.50	\$955.90

FEATURES & BENEFITS

These TradeQuip "Made for the Trade" Industrial Ventilator Fans air out rooms, circulate air or dry wet areas with a powerful air output of 60m³ per minute. Perfect for drywall, painting, auto body work, welding or any area that needs clean air fast.
Features include an ergonomic handle for effortless transport and an aluminium blade with steel housing construction for long lasting durable performance.
Complete with 5 metre flexible ducting.

MADE FOR THE TRADE

from

EXCLUDES GST

\$295

Incl. GST \$324.50

ALLOY MULTI-BLADE FANS



Available separately
5m Flexible Ducting
300, 400 & 450mm diameter
10m Flexible Ducting
300mm diameter only

For full product specifications go to www.tqbbrands.com.au

INTRODUCTORY OFFER

LIMITED STOCK

PORTABLE EVAPORATIVE COOLING

FIND OUT MORE ABOUT
TQB BRANDS LATEST
OFFERING HERE....



These **eQuipt Portable Evaporative Cooling** units are specifically designed for smaller workspaces, offering an impressive air flow capacity.

These user-friendly units feature a robust, weather resistant molded polyethylene housing that is both crack- and leak-resistant.

Equipped with a three-speed fan, these coolers efficiently circulate warm air over rigid, water saturated evaporative cooling media, resulting in a notable reduction in ambient temperatures of up to 10°C.

The adjustable swing louvre feature allows for customizable directional air flow, enabling users to tailor the cooled air output to their preferences.



eQuipt COOLING

Portable Evaporative Cooler 150W

E11-0010

240V/50Hz/150W 3 speed motor
Max. air flow: 6,000 m³ p/hour
Water consumption: 4-5 litres p/hour
Effective cooling area: 45-55sqm
Water tank capacity: 45 Litres
1185H x 650W x 430Dmm
Weight: 17kg

eQuipt COOLING

Portable Evaporative Cooler 200W

E11-0020

240V/50Hz/200W 3 speed motor
Max. air flow: 9,000 m³ p/hour
Water consumption: 5-6 litres p/hour
Effective cooling area: 60-70sqm
Water tank capacity: 70 Litres
1360H x 820W x 545Dmm
Weight: 35kg

eQuipt COOLING

Portable Evaporative Cooler 450W

E11-0030

240V/50Hz/450W 3 speed motor
Max. air flow: 12,000 m³ p/hour
Water consumption: 8-10 litres p/hour
Effective cooling area: 70-90sqm
Water tank capacity: 60 Litres
1430H x 900W x 560Dmm
Weight: 45kg

For full product specifications go to www.tqbbrands.com.au