





POLYMER WORKSHOP TROLLEY

6044T

Safe Working Capacity: 226kgTray Capacity: 113kg (each)

Top Tray: 778(L) x 415(W) x 63(H)mm
Smooth Rolling Rubber Castors:

125(D) x 25(W)mm

Ground Clearance: 140mmCarton: 910 x 475 x 165mm

• Weight: 14kg

6043T

Safe Working Capacity: 226kg

• Tray Capacity: 76kg (each)

• Tray: 900(L) x 600(W) x 65(H)mm

 Smooth Rolling Rubber Castors: 125(D) x 25(W)mm

Ground Clearance: 140mmCarton: 970 x 700 x 330mm

• Weight: 33.5kg

6042T

• Safe Working Capacity: 226kg

Tray Capacity: 113kg (each)

• Tray: 900(L) x 600(W) x 65(H)mm

• Smooth Rolling Rubber Castors:

125(D) x 25(W)mm

Ground Clearance: 140mmCarton: 970 x 700 x 225mm

Weight: 22kg





The 'TradeQuip' brand of workshop equipment, is designed for use in a demanding workshop environment by professional users. With proven and trusted "Made for the Trade" reliability, 'TradeQuip' branded products offer the very best in performance for an affordable price. All backed by a 1 year trade guarantee across 1,000+ distributors Australia wide.







WARNING



IMPORTANT: PLEASE READ THESE INSTRUCTIONS CAREFULLY. NOTE THE SAFE OPERATIONAL REQUIREMENTS, WARNINGS & CAUTIONS. USE THE PRODUCT CORRECTLY AND WITH CARE FOR THE PURPOSE FOR WHICH IT IS INTENDED. FAILURE TO DO SO MAY CAUSE DAMAGE AND/OR PERSONAL INJURY, AND WILL INVALIDATE THE WARRANTY. PLEASE KEEP INSTRUCTIONS SAFE FOR FUTURE USE.

CONTENT

WARNING	. 2
SAFETY INSTRUCTIONS	. 2
FEATURES & SPECIFICATIONS	
ASSEMBLY INSTRUCIONS	. 4
WARRANTY	. 7

SAFETY INSTRUCTIONS

- Only use this Workshop Trolley for the purpose for which it has been designed.
- Do not modify any component of this Workshop Trolley.
- When servicing, use only TradeQuip identical replacement parts. Use of any other parts will void the warranty.



- Distributed load capacity: 226kg
- This product is intended for indoor use only.
- Read and understand all instructions. Failure to follow all instructions may result in serious injury or property damage.
- The warnings, cautions, and instructions in this manual cannot cover all possible conditions or situations that could occur. Exercise common sense and caution when using this tool. Always be aware of the environment and ensure that the tool is used in a safe and responsible manner.
- Do not allow persons to operate or assemble the product until they have read this manual and have developed a thorough understanding of how it works.
- Do not modify this product in any way. Unauthorized modification may impair the function and/or safety and could affect the life of the product. There are specific applications for which the product was designed.
- Use the right tool for the job. DO NOT attempt to force small equipment to do the work of larger industrial
 equipment. There are certain applications for which this equipment was designed. This product will be safer
 and do a better job at the capacity for which it was intended. DO NOT use this equipment for a purpose for
 which it was not intended.
- Industrial or commercial applications must follow OH&S requirements.
- Inspect the work area before each use. Keep work area clean, dry, free of clutter, and well lit. Cluttered, wet, or dark work areas can result in injury. Using the product in confined work areas may put you dangerously close to other cutting tools and rotating parts.
- Keep children and bystanders away from the work area while operating the cart. Do not allow children to handle the product.
- Stay alert, watch what you are doing, and use common sense when operating the cart. Do not use the cart while you are tired or under the influence of drugs, alcohol, or medication. A moment of inattention while operating the tool may result in serious personal injury.
- Dress properly. Do not wear loose clothing, dangling objects, or jewellery. Keep your hair, clothing and gloves away from moving parts. Loose clothes, jewellery, or long hair can be caught in moving parts.

• Wear the proper personal protective equipment when necessary. Use safety goggles (not safety glasses) with side shields, or when needed, a face shield. Use a dust mask in dusty work conditions. Also use non-skid safety shoes, hardhat, gloves, dust collection systems, and hearing protection when appropriate. This applies to all persons in the work area.

- Do not overreach. Keep proper footing and balance at all times.
- Do not use the cart when tired or under the influence of drugs, alcohol or medication.
- Do not force the product. Products are safer and do a better job when used in the manner for which they are designed. Plan your work, and use the correct product for the job.
- Check for damaged parts before each use. Carefully check that the product will operate properly and perform
 its intended function. Replace damaged or worn parts immediately. Never operate the product with a
 damaged part.
- Store the product when it is not in use. Store it in a dry, secure place out of the reach of children. Inspect the tool for good working condition prior to storage and before re-use.
- Do not exceed the distributed load capacity of 226kgs.
- Be aware of dynamic loading. A sudden loading movement may briefly create an excess load causing product failure.
- Do not allow riders.
- Use only on a hard level surface.
- Inspect before each use. Do not use if parts are damaged.

FEATURES & SPECIFICATIONS

The polymer (heavy duty structural plastic) construction makes this two shelf extra wide TradeQuip "Made for the Trade" Workshop Trolley durable enough for moving tools and car parts. Easily handles loads up to 226kg. The rubber castors allow you to manoeuvre the workshop trolley without marring the floor. Deep shelves give you plenty of storage for your tools and parts. This is the perfect heavy duty workshop trolley for garages, warehouses and workshops. Heavy-duty structural polymer construction makes this Workshop Tool Trolley tough enough for long, rugged use. Suitable for the loading and movement of heavy-duty parts and tools, this workshop trolley has the largest load capacity in its category with industrial grade castors that perform perfectly under significant load.


Features:


- Super strong polymer (heavy duty structural plastic) construction
- Will not dent, rust or chip
- Convenient push handle
- Two swivel and two fixed smooth rolling rubber castors
- No painting required. Cleans easily
- Virtually maintenance free


PARTS LIST & ASSEMBLY INSTRUCTIONS

6044T/6042T

2 – 8mm Nut	3 – Top tray	4 – Side columns
6 – Fixed Caster	7 – M6 Screw	8 – M8 Bolts
TO TO		
	6 – Fixed Caster	6 - Fixed Caster 7 - M6 Screw








PARTS LIST & ASSEMBLY INSTRUCTIONS

6043T

1 - Bottom tray	2 – Large Screw for Handle	3 – Small Screw for Handle	4 – Top Tray
	*	•	
5 –M6 Screw for Tray	6 – Side columns	7 – Bottom Tray	8 – M8 Bolts
9 - Spring washer	10 – 8mm Nut	11 - Swivel Caster	12 - Fixed Caster
ව ව ව ව ව ව ව ව ව ව ව ව		O	
ළු ළු ළු ළු			
13 – Middle Tray			

PARTS LIST & ASSEMBLY INSTRUCTIONS



USAGE, STORAGE AND MAINTENANCE

BEFORE USE

Prior to each use conduct a visual inspection by checking for abnormal conditions, such as cracked joins and damaged, loose, or missing parts.

STORAGE

This Polymer Workshop Trolley should always be stored in a dry location on a level surface.

MAINTENANCE

Inspect the general condition of the Workshop Trolley checking:

- for loose hardware
- misalignment of binding or parts, cracked, bent, or broken parts, and
- any other condition that may affect the Workshop Trolleys safe operation.
- Clean the Workshop Trolley after each use, ensure, oil, grease and debris are not on the Workshop Trolley.

SERVICE & REPAIR

Any Polymer Workshop Trolley found damaged in any way, or found to be worn or operates abnormally should be removed from service until repaired by an authorised service agent. Owners and / or operators should be aware that repair of this product may require specialised equipment and knowledge. Only authorised parts, labels and decals shall be used on this equipment. Annual inspection of the Polyethylene Workshop Trolley is recommended and can be made by an authorised repair facility to ensure that your equipment is in optimum condition and that the equipment has the correct decals and safety labels specified by the manufacturer.

WARRANTY

TradeQuip products have been carefully tested and inspected before shipment and are guaranteed to be free from defective materials and workmanship for a period of 12 months from the date of purchase except where tools are hired out when the guarantee period is ninety days from the date of purchase.

Should the machine develop any fault, please return the complete tool to your nearest authorised warranty repair agent or contact TQB Brands Pty Ltd Warranty team – warranty@tqbbrands.com.au.

If upon inspection it is found that the fault occurring is due to defective materials or workmanship, repairs will be carried out free of charge. This guarantee does not apply to normal wear and tear, nor does it cover any damage caused by misuse, careless or unsafe handling, alterations, accident, or repairs attempted or made by any personnel other than the authorised TQB Brands Pty Ltd repair agent.

This guarantee applies in lieu of any other guarantee expressed or implied and variations of its terms are not authorised.

Your TQB Brands Pty Ltd guarantee is not effective unless you can produce upon request a dated receipt or invoice to verify your proof of purchase within the 12 month period.

Consumer Guarantee

Our goods come with a guarantee that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage. You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.





All images and illustrations shown are for reference purposes only. All information, specifications and illustrations in this manual are based on the latest information available at the time of publication and are subject to change without notice. The information in this manual is periodically revised to ensure the latest information is included. Download the latest version of this manual and other related technical documentation from www.tgbbrands.com.au.